

الکترونیک  
صنعت امن

SANAT AMN ELECTRONIC

@lhua  
TECHNOLOGY

H D C V I  
PRODUCT PRICE LIST













با خرید محصولات صنعت امن  
از باشگاه مشتریان صنعت امن  
هدیه دریافت نمایید




## HDCVI CAMERA

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-B1A21P</b>	<p>2MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (2.8 mm, 6 mm optional)</li> <li>&gt; Max. IR length 20 m, Smart IR</li> <li>&gt; IP67, 12 VDC</li> </ul>	۹۶۰,۰۰۰
	<b>DH-HAC-B2A21P</b>	<p>2MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (2.8 mm, 6 mm optional)</li> <li>&gt; Max. IR length 20 m, Smart IR</li> <li>&gt; IP67, 12 VDC</li> </ul>	۱,۱۵۰,۰۰۰
	<b>DH-HAC-HFW1200TP</b>	<p>2MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 30fps@1080P</li> <li>&gt; HD and SD output switchable</li> <li>&gt; 3.6mm fixed lens (2.8mm, 6mm optional)</li> <li>&gt; Max. IR length 30m, Smart IR</li> <li>&gt; IP67, DC12V</li> </ul>	۱,۵۰۰,۰۰۰
	<b>DH-HAC-HFW1500TP</b>	<p>5MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25fps@5MP (16:9 video output)</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional)</li> <li>&gt; Max. IR length 30 m, Smart IR</li> <li>&gt; IP67, DC12V</li> </ul>	۲,۳۴۰,۰۰۰
	<b>DH-HAC-HFW1200DP</b>	<p>2MP IR HDCVI Fixed-focal Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p.</li> <li>&gt; Smart IR illumination.</li> <li>&gt; 80 m illumination distance.</li> <li>&gt; Super Adapt.</li> <li>&gt; 3.6 mm fixed lens (6 mm optional).</li> <li>&gt; CVI/CVBS/AHD/TVI switchable.</li> <li>&gt; IP67, 12 VDC.</li> </ul>	۱,۸۵۰,۰۰۰
	<b>DH-HAC-HFW1500DP</b>	<p>5MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25 fps@5MP (16:9 video output)</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (6 mm, 8 mm optional)</li> <li>&gt; Max. IR length 80 m, Smart IR</li> <li>&gt; IP67, DC12V</li> </ul>	۲,۵۶۰,۰۰۰
	<b>DH-HAC-T1A21P</b>	<p>2MP HDCVI IR Eyeball Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (2.8 mm, 6 mm optional)</li> <li>&gt; Max. IR length 20 m, Smart IR</li> <li>&gt; 12 VDC</li> </ul>	۹۶۰,۰۰۰
	<b>DH-HAC-T2A21P</b>	<p>2MP HDCVI IR Eyeball Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (2.8 mm, 6 mm optional)</li> <li>&gt; Max. IR length 20 m, Smart IR</li> <li>&gt; IP67, 12 VDC</li> </ul>	۱,۱۵۰,۰۰۰









**HDCVI CAMERA**

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-HDW1200RP</b> 	2MP HDCVI IR Eyeball Camera > Max 30fps@1080P > HD and SD output switchable > 3.6mm fixed lens (2.8mm optional) > Max. IR length 20m, Smart IR > DC12V	۹۹۰,۰۰۰ دام ۲ مگ
	<b>DH-HAC-HDW1200TRQP-A</b> 	2MP IR HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 30 m illumination distance. > Super Adapt. > Quick-to-install eyeball saves installation time. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP50, 12 VDC.	۱,۳۳۰,۰۰۰ دام ۲ مگ
	<b>DH-HAC-HDW1200TQP-A</b> 	2MP IR HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 40 m illumination distance. > Super Adapt. > Built-in Mic. > Quick-to-install eyeball saves installation time. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۱,۶۰۰,۰۰۰ دام ۲ مگ
	<b>DH-HAC-HDW1500TRQP-A</b> 	5MP Starlight HDCVI Quick-to-install IR Eyeball Camera > Max 25 fps@5MP (16:9 video output) > Quick-to-install eyeball saves installation time > Built-in mic (-A) > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm optional) > Max. IR length 25 m, Smart IR > IP50, DC12V	۱,۹۰۰,۰۰۰ دام ۵ مگ
	<b>DH-HAC-HDW1500TQP-A</b> 	5MP Starlight HDCVI Quick-to-install IR Eyeball Camera > Max 25 fps@5MP (16:9 video output) > Quick-to-install eyeball saves installation time > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Built-in mic(-A) > Max. IR length 40 m, Smart IR > IP67, DC12V	۲,۲۰۰,۰۰۰ دام ۵ مگ
	<b>DH-HAC-HDW1500TMQP-A</b> 	5MP Starlight HDCVI Quick-to-install IR Eyeball Camera > Max 25 fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > Quick-to-install eyeball saves installation time > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Built-in mic(-A) > Max. IR length 60 m, Smart IR > IP67, DC12V	۲,۵۶۰,۰۰۰ دام ۵ مگ









**FULL COLOR HDCVI CAMERA**

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-HFW1209CP-LED</b>	2MP Full-color Starlight HDCVI Bullet Camera > Full-color starlight > 20 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۱,۴۵۰,۰۰۰
	<b>DH-HAC-HFW1209CP-A-LED</b>	2MP Full-color Starlight HDCVI Bullet Camera > Full-color starlight > 20 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Built-in mic (-A) > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۱,۵۰۰,۰۰۰
	<b>DH-HAC-HFW1209CMP-LED</b>	2MP Full-color HDCVI Bullet Camera > 24/7 color imaging > 20 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۱,۷۸۰,۰۰۰
	<b>DH-HAC-HFW1209TLM-LED</b>	2MP Full-color HDCVI Bullet Camera > 24/7 color imaging > 40 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Fixed lens (3.6 mm; 6 mm optional) > IP67, 12V±30% DC	۱,۷۸۰,۰۰۰
	<b>DH-HAC-HFW1509TP-A-LED</b>	5MP Full-color HDCVI Bullet Camera > Max 25 fps@5MP (16:9 video output) > 120 dB true WDR, 3D NR > 24/7 color imaging > 20 m illumination distance > CVI/CVBS/AHD/TVI switchable > Built-in mic (-A) > 3.6 mm fixed lens (2.8 mm optional) > IP67, 12 V DC	۳,۲۲۰,۰۰۰
	<b>DH-HAC-HFW1509TLM-LED</b>	5MP Full-color HDCVI Bullet Camera > Max 25 fps@5MP (16:9 video output) > 120 dB true WDR, 3D NR > 24/7 color imaging > 40 m illumination distance > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm optional) > IP67, 12 V DC	۲,۹۰۰,۰۰۰
	<b>DH-HAC-HFW1509TLM-A-LED</b>	5MP Full-color HDCVI Bullet Camera > Max 25 fps@5MP (16:9 video output) > 120 dB true WDR, 3D NR > 24/7 color imaging > 40 m illumination distance > CVI/CVBS/AHD/TVI switchable > Built-in mic (-A) > 3.6 mm fixed lens (2.8 mm optional) > IP67, 12 V DC	۳,۰۶۰,۰۰۰
	<b>DH-HAC-HDW1209TLQP-LED</b>	2MP Full-color Starlight HDCVI Eyeball Camera > Full-color starlight > 20 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۱,۴۵۰,۰۰۰












**FULL COLOR HDCVI CAMERA**

تصویر	مدل	مشخصات	قیمت
	<p><b>DH-HAC-HDW1209TLQP-A-LED</b></p> 	<p>2MP Full-color HDCVI Quick-to-install Eyeball Camera</p> <ul style="list-style-type: none"> <li>&gt; Full-color starlight</li> <li>&gt; 20 m illumination distance</li> <li>&gt; Max. 30fps@1080P</li> <li>&gt; Built-in mic (-A)</li> <li>&gt; Quick-to-install eyeball saves installation time</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Fixed lens (2.8 mm; 3.6 mm optional)</li> <li>&gt; IP67, 12V±30% DC</li> </ul>	<p>۱,۶۰۰,۰۰۰</p>
	<p><b>DH-HAC-HDW1209TQP-A-LED</b></p> 	<p>2MP Full-color HDCVI Quick-to-install Eyeball Camera</p> <ul style="list-style-type: none"> <li>&gt; 20 m illumination distance</li> <li>&gt; Max. 30fps@1080P</li> <li>&gt; Built-in mic (-A)</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Fixed lens (2.8 mm; 3.6 mm optional)</li> <li>&gt; IP67, 12V±30% DC</li> </ul>	<p>۱,۷۲۰,۰۰۰</p>
	<p><b>DH-HAC-HDW1509TP-A-LED</b></p> 	<p>5MP Full-Color Starlight HDCVI Eyeball Camera.</p> <ul style="list-style-type: none"> <li>&gt; Max 25 fps@5MP (16:9 video output)</li> <li>&gt; 120 dB true WDR, 3D NR</li> <li>&gt; 40 m illumination distance</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Built-in mic (-A)</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional)</li> <li>&gt; IP67, PoC (only CVI)/12 V±30% DC</li> </ul>	<p>۳,۳۳۰,۰۰۰</p>
	<p><b>DH-HAC-HDW1509TLQP-A-LED</b></p> 	<p>5MP Full-color HDCVI Quick-to-install Eyeball Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25 fps@5MP (16:9 video output)</li> <li>&gt; 120dB true WDR, 3D NR</li> <li>&gt; 24/7 color imaging</li> <li>&gt; 20 m illumination distance</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Built-in mic (-A)</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional)</li> <li>&gt; IP67, 12 V DC</li> <li>&gt; Quick-to-install eyeball saves installation time</li> </ul>	<p>۳,۰۰۰,۰۰۰</p>

**HDCVI RECORDER**

تصویر	مدل	مشخصات	قیمت
	<b>DH-XVR1B04-I</b>	<ul style="list-style-type: none"> <li>4 CH Penta-brid 1080N/720P Cooper 1U 1HDD Digital Video Recorder</li> <li>&gt; 4-ch SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.</li> <li>&gt; 4-ch AI Coding supports saving on storage and bandwidth while maintaining the details of targets in videos.</li> <li>&gt; Smart H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Up to 5-ch IP camera inputs and each channel supports up to 2 MP. Max 20 Mbps incoming bandwidth.</li> </ul>	۲,۴۵۰,۰۰۰
	<b>DH-XVR1B08-I</b>	<ul style="list-style-type: none"> <li>8 CH Penta-brid 1080N/720P Cooper 1U 1HDD Digital Video Recorder</li> <li>&gt; 4-ch SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.</li> <li>&gt; 8-ch AI Coding supports saving on storage and bandwidth while maintaining the details of targets in videos.</li> <li>&gt; Smart H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Up to 10-ch IP camera inputs and each channel supports up to 6 MP. Max 40 Mbps incoming bandwidth.</li> </ul>	۳,۱۰۰,۰۰۰
 <b>Wiz Sense</b>	<b>DH-XVR1B16-I</b>	<ul style="list-style-type: none"> <li>16 Channels Penta-brid 1080N/720P Compact 1U 1HDD WizSense Digital Video Recorder</li> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI-Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth</li> <li>&gt; Long transmission distance over coax cable</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus</li> </ul>	۶,۲۳۰,۰۰۰
 <b>Wiz Sense</b>	<b>DH-XVR5104HS-I3</b>	<ul style="list-style-type: none"> <li>4 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder</li> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI-Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 6 channels IP camera inputs, each channel up to 6MP; Max 32 Mbps incoming bandwidth</li> <li>&gt; Up to 2 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 4 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 1 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	۴,۳۵۰,۰۰۰
 <b>Wiz Sense</b>	<b>DH-XVR5104HS-4KL-I3</b>	<ul style="list-style-type: none"> <li>4 Channels Penta-brid 4K-N/SMP Compact 1U 1HDD WizSense Digital Video Recorder</li> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports all-channels AI Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 8 channels IP camera inputs, each channel up to 8MP; Max 64 Mbps incoming bandwidth</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 4 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 1 channel video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	۶,۳۵۰,۰۰۰
 <b>Wiz Sense</b>	<b>DH-XVR5108HS-I3</b>	<ul style="list-style-type: none"> <li>8 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder</li> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 12 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps incoming bandwidth</li> <li>&gt; Up to 2 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 1 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	۶,۵۵۰,۰۰۰
 <b>Wiz Sense</b>	<b>DH-XVR5108HS-4KL-I3</b>	<ul style="list-style-type: none"> <li>8 Channels Penta-brid 4K-N/SMP Compact 1U 1HDD WizSense Digital Video Recorder</li> <li>&gt; H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports Full-channel AI Coding.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Max 16 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth.</li> <li>&gt; Up to 8 channels video stream (analog channel) Perimeter Protection.</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus.</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition.</li> <li>&gt; IoT &amp; POS functionalities.</li> </ul>	۱۰,۹۰۰,۰۰۰
 <b>Wiz Sense</b>	<b>DH-XVR5116HS-I3</b>	<ul style="list-style-type: none"> <li>16CH Penta-brid 5MP Value/1080P Compact 1U 1HDD WizSense Digital Video Recorder</li> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 16 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	۱۱,۰۰۰,۰۰۰

## HDCVI RECORDER


تصویر	مدل	مشخصات	قیمت
 	<b>DH-XVR5216AN-I3</b> 	16CH Penta-brid 5MP Value/1080P 1U 2HDDs WizSense Digital Video Recorder > H.265+/H.265 dual-stream video compression > Supports Full-channel AI-Coding > Supports HDCVI/AHD/TVI/CVBS/IP video inputs > Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth > Up to 4 channels video stream (analog channel) Perimeter Protection > Up to 16 channels video stream (analog channel) SMD Plus > Up to 2 channels video stream (analog channel) human face recognition > IoT & POS functionalities	۱۴,۳۵۰,۰۰۰
 	<b>DH-XVR5216AN-4KL-I3</b> 	16 Channels Penta-brid 4K-N/5MP 1U 2HDDs WizSense Digital Video Recorder > H.265+/H.265 dual-stream video compression. > Supports Full-channel AI-Coding. > Supports HDCVI/AHD/TVI/CVBS/IP video inputs. > Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth. > Up to 8 channels video stream (analog channel) Perimeter Protection. > Up to 16 channels video stream (analog channel) SMD Plus. > Up to 2 channels video stream (analog channel) human face recognition. > IoT & POS functionalities.	۲۱,۷۰۰,۰۰۰
	<b>DH-XVR5232AN-S2</b> 	32 Channel Penta-brid 1080P Digital Video Recorder > Embedded processor > H.264+/H.264 dual-stream video compression > Support HDCVI/AHD/TVI/CVBS/IP video inputs > Max 32 channels IP camera inputs; Max 128Mbps Incoming Bandwidth > Long transmission distance over coax cable > Support 2 SATA HDD, up to 16TB	۱۸,۹۰۰,۰۰۰
 	<b>DH-XVR5232AN-I3</b> 	32 Channels Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder > H.265+/H.265 dual-stream video compression. > Supports 16-channel AI-Coding. > Supports HDCVI/AHD/TVI/CVBS/IP video inputs. > Max 32 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth. > Up to 4 channels video stream (analog channel) Perimeter Protection. > Up to 16 channels video stream (analog channel) SMD Plus. > Up to 2 channels video stream (analog channel) human face recognition. > IoT & POS functionalities.	۲۲,۲۴۰,۰۰۰



WWW.SANAT-AMN.COM

# الکترونیك صنعت امن

SANAT AMN ELECTRONIC



با خرید و ثبت کد با تگه مت ————— ترین  
صنعت امن از هدایای ویژه بهره مند شوید

